



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

## INDEX TO VOLUME XIII\*

New names and the final members of new combinations are in **bold face type**

- Abies*, 92; *lasiocarpa*, 103  
*Abronia*, 21  
*Acer*, 140, 154, 157; *campestre*, 153;  
     *rubrum*, 165  
*Acetabula*, 218; *ancilis*, 69  
*Acetabularia*, 217  
*Achras Zapota*, 62  
*Achyla*, 126, 336  
*Acrosporum*, 64; *Maxoni*, 64  
*Actinomyces*, 338  
*Adams*, J. F., Observations on the in-  
     fection of *Crataegus* by *Gymno-*  
     *sporangium*, 45  
*Accidium*, 234, 276; *Allenii*, 108;  
*Aquilegiae*, 233; *Ceanothi*, 233;  
*Clematidis*, 233; *Fendleri*, 317, 318,  
     319; *hydnoideum*, 234; *Impatiensis*,  
     233; *Jamesianum*, 233; *macro-*  
     *sporum*, 233; *magnatum*, 233; *mo-*  
     *noicum*, 233; *Pammelii*, 233; *Phry-*  
     *mae*, 233; *pustulata*, 233; *roesteli-*  
     *oides*, 102; *Sambuci*, 233; *Silphii*,  
     233; *Smilacis*, 234  
*Aethalium*, 329, 330, 331, 332  
*Agaricus campester*, 119, 275  
*Agave*, 284  
*Agropyron*, 19, 316, 317, 322; *Smithii*,  
     316, 317; *spicatum*, 104; *tenerum*,  
     104, 109, 316, 317  
*Agrostis palustris*, 111  
*Aleuria ancilis*, 69; *apiculata*, 70;  
     *macropus*, 229  
*Aleurodiscus*, 199, 267, 273; *macro-*  
     *dens*, 190  
*Alnus rhombifolia*, 97  
*Alternaria Nelumbii*, 273, 340; *Solani*,  
     126  
*Amanita*, 63, 115; *cothurnata*, 271;  
     *muscaria*, 271; *pantherina*, 270,  
     271; *pantherinoides*, 271; *velu-*  
     *tipes*, 271  
*Amelanchier*, 235; *Jonesiana*, 103, 107;  
     *mormonica*, 102; *oreophila*,  
     108; *polycarpa*, 103; *prunifolia*,  
     107; *utahensis*, 107  
*Ampelopsis*, 165; *quinquefolia*, 165  
*Amyliroza*, 354  
*Anchusa officinalis*, 236, 246  
*Anderson*, P. J., and Ickis, M. G.,  
     *Massachusetts species of Helvella*,  
     201  
*Andropogon leucostachys*, 289  
*Anemone*, 19  
*Anthostomella Rhizomorphae*, 115  
*Antirrhinum majus*, 109  
*Apium graveolens*, 191, 199, 269, 270  
*Aquilegia*, 19  
*Arabis*, 22  
*Arctostaphylos*, 306  
*Arcyria*, 333  
*Aristida portoricensis*, 288, 299  
*Armillaria mellea*, 58, 64  
*Arthur*, J. C., *Memoranda and index*  
     *of cultures of Uredineae, 1899-*  
     *1917, 230; Nineteen years of cul-*  
     *ture work, 12*  
*Aschersonia*, 298  
*Ascochyta*, 348; *Theae*, 326  
*Ascomycetes*, *Review of Klebahn on*  
     *life histories of, 346*  
*Aspergillus flavus*, 277; *niger*, 274;  
     *Oryzae*, 277  
*Asprella Hystrix*, 320  
*Aster*, 16; *arenarioides*, 235  
*Asterina*, 282  
*Asteroma*, 349  
*Astragalus*, 105; *humistratus*, 105;  
     *Sonorae*, 106  
*Atriplex hastata*, 16; *rosea*, 103;  
     *spatiosa*, 105  
*Auerswaldia*, 290; *Miconiae*, 289, 290  
*Azalea*, 64  
*Baccharis*, 306

\* It has been considered unnecessary to include here the species listed in the four following articles, since they are already indexed or specially listed.

Arthur: *Memoranda and index of cultures of Uredineae, 1899-1917*. See p. 237.

Diehl: *The fungi of the Wilkes expedition*. See p. 40.

Overholts: *Some New Hampshire fungi*. See p. 26.

Zundel: *Smuts and rusts of northern Utah and southern Idaho*. See p. 179.

- Bacillus amylovorus*, 58; *radicicola*, 189; *radiobacter*, 189
- Bacterium Cannae*, 272, 340; *Hederae*, 336; *marginatum*, 353; *solanaecearum*, 266; *tumefaciens*, 2, 3, 4, 6, 7, 8, 9, 10, 11
- Bagnisiopsis*, 289; *peribebuyensis*, 289
- Balsania*, 287, 288, 297; *subnodosa*, 287, 288
- Behavior of crown gall on the rubber plant, 1
- Behavior of telia of *Puccinia graminis* in the south, The, 111
- Berberis*, 317, 319, 321; *Fendleri*, 316, 317, 318, 319, 321; *trifoliolata*, 113; *vulgaris*, 321
- Beta vulgaris*, 105
- Bolete from Porto Rico, A new, 60
- Boleto-lichen*, 204, 207; *vulgaris*, 219, 229
- Boletus*, 56, 204, 207; *albus*, 225, 228; *incarnatus*, 87; *leucophaeus*, 212, 229; *lilacinus*, 92; *nitidus*, 94; *sanguinolentus*, 90; *vitellinus*, 172
- Botrytis*, 277
- Bouteloua curtispindula*, 101; *racemosa*, 101
- Brachysporium Trifolii*, 126
- Brodiaea Douglasii*, 110
- Bromus*, 19, 321, 322; *ciliatus*, 234; *tectorum*, 101
- Bryophyllum*, 7
- Bucida buceras*, 291, 300
- Bullaria*, 233
- Burlingham, G. S., Some new species of *Russula*, 129
- Caeoma confluens*, 102; *occidentalis*, 107
- California Hypogaeous fungi—*Tuberaceae*, 301
- Calostoma*, 339; *Ravenelii*, 339
- Cancers, Studies of plant, 1
- Carex*, 15, 16, 17, 234; *aquatilis*, 235; *gracillima*, 17; *lanuginosa*, 235; *nebraskensis*, 103, 235; *pubescens*, 17; *trichocarpa*, 235
- Carpinus*, 157
- Cassia fistula*, 293; *grandis*, 293, 300
- Castanea*, 158; *dentata*, 165; *vesca*, 155
- Catacauma*, 276
- Cercis*, 165; *canadensis*, 165
- Cercosphaerella*, 347
- Cercospora*, 347, 348
- Ceriomyces communis*, 194; *flaviporus*, 194; *subtomentosus*, 194; *tomentipes*, 194; *viscidus*, 194
- Ceuthospora*, 156; *concava*, 155, 163, 164, 167; *phacidoides*, 156; *Rubi*, 161, 163, 164
- Chamaesyce Greenei*, 106; *rugulosa*, 106
- Chardon, C. E., A contribution to our knowledge of the *Pyrenomycetes* of Porto Rico, 279
- Chenopodium*, 20; *album*, 20, 105
- Chloris petraea*, 289, 299
- Chrysopsis horrida*, 107
- Cicada septendecim*, 82
- Cicada*, A fungous parasite of the, 72
- Cirsium arvense*, 109
- Citrus*, 59, 64, 197, 273, 274, 275, 277, 353; *nobilis*, 275
- Clavaria*, 335
- Cladochytrium*, 114
- Cladosporium Citri*, 351
- Clathrotrichum*, 353
- Clematis*, 19; *Flammula*, 19; *ligusticifolia*, 19, 103; *virginiana*, 19
- Cleome*, 20
- Clitocybe*, 42; *dealbata*, 42, 44; *sudorifica*, 44, 198
- Clitocybe sudorifica* as a poisonous mushroom, 42
- Coccolobis nivea*, 115; *uvifera*, 283, 299
- Cocos nucifera*, 295
- Cogswellia*, 104
- Coleosporium*, 63; *Ribicola*, 106
- Colletotrichum gloeosporioides*, 272
- Conocephalum conicum*, 196
- Contribution to our knowledge of the *Pyrenomycetes* of Porto Rico, 279
- Coprinus sterquilinus*, 336
- Cornus*, 140, 165; *canadensis*, 165
- Coronaria myrtifolia*, 158
- Corticium salmonicolor*, 197; *vagum*, 125, 341, 354
- Cortinarius*, 118
- Crataegus*, 45, 48, 195; *Calpodendron*, 49; *coccinea*, 49; *coccinioides*, 49; *Crus-galli*, 49; *Jesupi*, 49; *macrosperma*, 49; *Margaretta*, 49; *neofluvialis*, 49; *pausiaca*, 49; *pruinosa*, 49; *punctata*, 49, 235; *straminea*, 49; *succulenta*, 49
- Crataegus*, Observations on the infection of, by *Gymnosporangium*, 45
- Craterium*, 333
- Creonectria Bainii*, 284; *grammicospora*, 284; *ochroleuca*, 284; *rubicarpa*, 285
- Cronartium*, 108; *Comandrae*, 106; *filamentosum*, 106; *occidentale*, 108; *pyriforme*, 106; *ribicola*, 64, 337
- Crown gall on the rubber plant, 1
- Crucibulum*, 115, 116; *vulgare*, 65, 115
- Cryptobasidium*, 274
- Cryptosporella*, 354
- Culture work, Nineteen years of, 12

- Cultures of Uredineae, 1899-1917, Memoranda and index of, 230
- Cup-fungi, Photographs and descriptions of, 67
- Cupressus thuyoides, 86, 95
- Cyathea, 298
- Cyathus, 115, 116; fascicularis, 65, 115; striatus, 65, 115
- Cycloporus Greenei, 57
- Cylindrocladium scoparium, 337
- Cylindrocolla faecalis, 56, 62
- Cylindrosporium, 195, 348
- Cytospora chrysosperma, 124, 127, 338
- Dacryomyces, 136, 153, 155; lythri, 152, 162, 163, 167
- Daedalea, 177; sulphurella, 177
- Datura, 272
- Delastria rosea, 312
- Dendrophoma, 62
- Descriptions of cup-fungi, Photographs and, 67
- Diachaea, 330
- Diatrype Hochelagae, 327; stigma, 327; Theae, 327
- Dicaeoma, 114
- Didymella, 354
- Diehl, W. W., The fungi of the Wilkes expedition, 38
- Diplodia, 125, 348; rapax, 125
- Diplodina, 348
- Dirca, 19; palustris, 234
- Discina, 67, 68; ancilis, 68, 69, 71; **apiculata**, 69, 70; **convoluta**, 69, 70, 71; helvetica, 69; leucoxantha, 68, 69, 71; perlata, 68, 69; Warnei, 69
- Discina, North American species of, 67
- Distichlis, 18; spicata, 16, 20
- Dodge, B. O., and Shear, C. L., The life history and identity of "Patellina Fragariae," "Leptothyrium macrothecium," and "Peziza Oenotherae," 135
- Dothichloe, 286, 287, 288, 297; Aristidae, 287, 288, 299; atramentosa, 286, 287, 289, 299; nigricans, 287; **subnodosa**, 287, 288, 299
- Dothidina, 290; Miconiae, 289; **peribebuyensis**, 289, 300
- Dothiorella, 348
- Drepanocarpus lunatus, 292, 300
- Duchesnia, 165; indica, 165
- Durand, E. J., New or noteworthy Geoglossaceae, 184
- Echinodontium tinctorium, 116
- Elaphomyces, 302, 312; variegatus, 313
- Elasmonyces, 194; russuloides, 193, 194
- Elvela, 203, 204, 207; albella, 219; fuliginosa, 219; infula, 209; Mitra, 212; monacella, 212; pallida, 210; Pineti, 204; spadicea, 225
- Elvella, 204, 207
- Elymus, 19, 112, 113; australis, 111, 112, 113; canadensis, 104, 316, 321; condensatus, 103, 104, 315; Macounii, 104; virginicus, 19, 316, 318, 321
- Empusa Muscae, 82
- Endogone macrocarpa, 313
- Entoloma albidum, 338; lividum, 338
- Entomopeziza Soraueri, 349
- Entomophthora arrenocetona, 74; Aulicae, 80; caroliniana, 74; Muscae, 81; pseudococci, 80
- Entomosporium, 349
- Ephelidium, 354
- Epichloe, 287, 288; nigricans, 288
- Epilobium, 140, 147, 155, 170; angustifolium, 165; spicatum, 142
- Erigeron arenarioides, 235
- Eriocoma cuspidata, 101
- Erysimum, 20
- Erythroxyton Coca, 354
- Eucalyptus globulus, 165
- Eugenia, 294, 300; vulgaris, 159, 165
- Euphorbia, 110
- Eutypa, 354
- Eutypella, 354
- Excipula, 136
- Exobasidium reticulatum, 326
- Favolus platyporus, 39
- Ficus elastica, 1, 2, 3, 7, 9, 10, 11, 63, 197
- Fomes fraxineus, 55; fraxinophilus, 52; geotropus, 191; ignarius, 354; laricis, 124; pinicola, 124; ulmarius, 191
- Fragaria, 140, 165; mexicana, 165; virginiana, 165; virginiana chilensis, 165
- Fruit-disease survey, 50
- Fuligo, 332
- Fungi, New Japanese, 323
- Fungi of the Wilkes expedition, 38
- Fungi, Some New Hampshire, 24
- Fungi, California Hypogaeous, 301
- Fungoides, 204, 207
- Fungous parasite of the periodical Cicada, 72
- Fusarium, 126, 188, 197, 352; cubense, 56; oxysporium Nicotianae, 192; trichothecioides, 352; vasinfectum, 340
- Fuscoporia, 119, 275; **nebulosa**, 119; **tenerrima**, 119

- Ganoderma*, 64  
 Garrett, A. O., Smuts and rusts of Utah—IV, 101  
*Gaultheria procumbens*, 165  
*Gaura*, 161; *biennis*, 165, 235  
*Gautieria*, 304; *morchelliformis*, 193  
*Genea*, 62, 194, 304, 306; *arenaria*, 306; *cerebriformis*, 307; *compacta*, 305; *cubispora*, 62; *Gardnerii*, 193, 194, 307; *Harknessii*, 193, 306, 307  
*Geoglossaceae*, New or noteworthy, 184  
*Geoglossum intermedium*, 184; *pumilum*, 184; *pygmaeum*, 185; *Rehmanum*, 186  
*Geopora Harknessii*, 193, 311  
*Geranium*, 4, 165; *maculatum*, 160  
*Gladiolus*, 353  
*Gloeosporium*, 153, 157, 160, 167, 275, 349; *Bombacis*, 275; *Gossypii*, 340; *rhoinum*, 146, 154, 162; *rhois* *Fuckelii*, 154; *tremellinum*, 145, 153, 162  
*Glomerella*, 167, 348  
*Gloniopsis Gloniopsis*, 116  
*Gnomonia*, 349  
*Gnomoniella*, 349  
*Grifola Berkeleyi*, 267; *flavovirens*, 55; *gigantea*, 267  
*Grossularia inermis*, 102; *leptantha*, 102, 108, 109  
*Guazuma ulmifolia*, 291, 292, 300  
*Guignardia Vaccinii*, 190  
*Gymnosporangium*, 46, 195, 235, 353; *corniculans*, 233; *exterum*, 233; *floriforme*, 235; *germinale*, 46, 47, 48, 49; *globosum*, 46, 47, 48, 49; *gracilens*, 106; *inconspicuum*, 107; *Juniperi-virginianae*, 46, 48, 49; *juvenescens*, 108, 235, 246; *Nelsoni*, 102, 235, 246; *trachysorum*, 233  
*Gymnosporangium*, Observations on the infection of *Crataegus* by, 45  
*Gymnosporium juniperinum*, 109  
*Gyromitra*, 205, 208, 209, 226; *brunnea*, 209; *costata*, 228; *esculenta*, 206, 209, 228; *gigas*, 228; *infula*, 225, 228; *sphaerospora*, 229  
*Gyroporus Earlei*, 60, 198  
  
*Hainesia*, 137, 140, 141, 142, 143, 144, 150, 152, 153, 154, 157, 158, 167; *Castaneae*, 155, 163; *Epilobii*, 155, 163; *Lythri*, 136, 144, 146, 152, 155, 157, 159, 160, 162, 163, 164, 167, 169; *rhoina*, 146, 154, 163, 164; *Rostrupii*, 155, 163; *tremellina*, 153  
*Hapalopilus gilvus*, 97  
*Helianthus annuus*, 14, 104  
  
*Heliotropium spatulatum*, 105  
*Helminthosporium*, 128; *pedunculatum*, 116  
*Helvella*, 201, 202, 203, 204, 205, 206, 207, 208, 209, 211, 213, 217, 218, 221, 222, 226, 227; *acaulis*, 228; *adhaerens*, 208, 210, 222, 223, 225, 228; *alba*, 210, 228; *albella*, 220, 228; *albida*, 206, 219, 228; *albipes*, 221; *atra*, 208, 210, 218, 223, 228, 229; *capucinoides*, 219, 221; *costata*, 228; *crispa*, 205, 206, 207, 208, 209, 210, 212, 213, 214, 228, 229; *elastica*, 206, 207, 208, 209, 210, 219, 220, 221, 222, 223, 224, 228, 229; *elastica fusca*, 222, 224, 228; *ephippium*, 206, 207, 208, 209, 218, 219, 224, 227, 228, 229; *esculenta*, 206, 209, 228; *fuliginosa*, 228; *gigas*, 228; *gracilis*, 219, 220, 221, 228; *grandis*, 225, 228; *hispidula*, 228; *infula*, 209, 223, 225, 228; *lacunosa*, 205, 206, 207, 208, 209, 212, 213, 214, 215, 217, 228, 229; *lacunosa pallida*, 210, 229; *leucophaea*, 210, 229; *macropus*, 206, 207, 226, 227, 229; *macropus brevis*, 207, 227, 229; *mitra*, 206, 210, 219, 229; *mitra alba*, 210, 229; *mitra fulva*, 210, 229; *mitra pratensis*, 212; *monacella*, 229; *Monachella*, 206, 207, 210, 225, 226, 229; *nigra*, 209, 217, 229; *nigricans*, 223, 229; *nivea*, 210, 229; *palustris*, 209, 214, 216, 217, 229; *pezizoides*, 224; *plebophora*, 215, 229; *Queletiana*, 209, 215, 217, 229; *spadicea*, 229; *sphaerospora*, 229; *subcostata*, 217; *sulcata*, 212, 213, 214, 217, 229; *venosa*, 215, 229  
*Helvella*, Massachusetts species of, 201  
*Hendersonia Theae*, 328  
*Herpotrichia*, 295; *albidostoma*, 295, *diffusa*, 295; *diffusa rhodomphala*, 295  
*Heteroecism of Puccinia montanensis*, P. *Koeleriae*, and P. *apocrypta*, 315  
*Heteromeles*, 313  
*Heterotrichum cymosum*, 290  
*Hevea braziliensis*, 125  
*Hicoria glabra*, 165  
*Hieracium griseum*, 104  
*Hilaria Jamesii*, 101  
*Himantia*, 60  
*Hordeum caespitosum*, 101; *jubatum*, 104, 316, 317  
*Hydnangium*, 194  
*Hydnobolites*, 304; *californicus*, 312  
*Hydnotrya ellipsospora*, 307

- Hydnotryopsis Setchellii, 312  
 Hydrophyllum, 19, 316, 317, 318, 320, 321, 322; capitatum, 316, 318, 322  
 Hymenogaster, 194, 305  
 Hymenula, 145; rhoina, 154, 163, 164  
 Hypholoma, 265  
 Hypocrea, 286; atramentosa, 287, 289  
 Hypocrella, 286, 287, 298  
 Hypoderma, 137  
 Hypodermopsis Theae, 323  
 Hypogaeus fungi, California, 301  
 Hypolysus Montagnei, 121  
 Hyponectria Phaseoli, 115, 284  
 Hypospila, 349  
 Hypoxylon annulatum, 295, 299  
 Hysterangium, 193, 194, 304  
 Hystrix Hystrix, 317, 318
- Ichnanthus pallens, 288, 299  
 Ickis, M. G., and Anderson, P. J., Massachusetts species of Helvella, 201  
 Idaho, Smuts and rusts of southern, 179  
 Identity of "Patellina Fragariae," "Leptothyrium macrothecium," and "Peziza Oenotherae," 135  
 Impatiens, 19, 331  
 Index of cultures of Uredineae, 1899-1917, 230  
 Index to American mycological literature, 62, 126, 195, 272, 351  
 Infection of Crataegus by Gymnosporangium, Observations on the, 45  
 Inocybe, 62, 115  
 Irpex, 177  
 Isoachlya, 274, 336; toruloides, 274, 336  
 Ivesia Gordonii, 103
- Jambosa vulgaris, 159, 165  
 Japanese fungi, New, 323  
 Juniperus scopulorum, 102, 108; siberica, 109; utahensis, 102, 107; virginiana, 45, 235
- Kentrophyta impensa, 105  
 Klebahn on life histories of Ascomycetes, Review of, 346  
 Koeleria cristata, 19, 317, 319  
 Kunkelia, 63
- Laboulbenia formicarum, 62  
 Lachnea macropus, 229  
 Laciniaria, 19  
 Lactaria atroviridis, 56; Indigo, 56  
 Lactuca, 235  
 Lembosia, 281, 282, 298; Agaves, 283; Coccolebae, 283; Dendrochili, 281, 282, 283, 284; diffusa, 282, 283; Drymidis, 281; macula, 281; melastomatium, 282, 299; microspora, 282, 299; tenella, 281, 282, 283, 299  
 Lepidium, 20, 234; perfoliatum, 105  
 Leptopodia, 207, 208, 209; albella, 219, 220, 221, 228; atra, 223, 228; elastica, 219, 228  
 Leptosphaeria Coniothyrium Theae, 324; Hottai, 324  
 Leptothyrium, 137, 349; acerinum, 156; borzianum, 159, 163; Lunariae, 147; macrothecium, 137, 147, 157, 158, 163, 164, 354; macrothecium rhois, 157; protuberans, 138, 158, 163, 164; rhois, 154, 157  
 "Leptothyrium macrothecium," The life history of, 135  
 Levine, Michael, Studies on plant cancers—II, The behavior of crown gall on the rubber plant (Ficus elastica), 1  
 Life histories of Ascomycetes, Review of Klebahn on, 346  
 Life history and identity of "Patellina Fragariae," "Leptothyrium macrothecium," and "Peziza Oenotherae," 135  
 Light-colored resupinate polypores—III, 83; —IV, 171  
 Lipospora, 191, 349; Trichostigmae, 115; tucsonensis, 191  
 Lophidiopsis, 354  
 Lophiotrema Peckiana, 116  
 Lycopsis arvensis, 236, 246  
 Lythrum, 155; Salicaria, 165
- Macbride, T. H., Some of the ways of the slime mould, 329  
 Macropodia, 209; macropus, 209, 226, 229  
 Macrosporium, 64  
 Madronella oblongifolia, 104  
 Mahonia, 19, 319; Aquifolium, 319, 321, 322  
 Mains, E. B., The heteroecism of Puccinia montanensis, P. Koeleriae, and P. apocrypta, 315  
 Malus glaucescens, 45, 48, 49  
 Marasmius, 60, 121  
 Marssonina, 349  
 Massachusetts species of Helvella, 201  
 Massospora, 77; cicadina, 72, 73, 74, 80, 81, 82, 276; Staritzii, 73  
 Massospora cicadina Peck, a fungous parasite of the periodical Cicada, 72  
 Medicago sativa, 110  
 Melampsora albertensis, 107; confluens, 102  
 Melampsorella elatina, 103

- Melanogaster, 194, 305  
 Melanomma, 354  
 Melanops, 348  
 Meliola, 298  
 Memoranda and index of cultures of  
   Uredineae, 1899-1917, 230  
 Mentha spicata, 104  
 Merulius, 92, 95, 98; incrassatus, 98;  
   lacrymans, 59; Ravenelii, 95; spis-  
   sus, 98  
 Miconia, 290, 300; laevigata, 290;  
   prasina, 283, 290, 299; Sintenisii,  
   290  
 Micrococcus Populi, 57  
 Microglossum longisporum, 185  
 Micropodia, 150  
 Mitra, 204  
 Mitrula gracilis, 185; muscicola, 185  
 Mollisia, 162; cinerea, 162; Oeno-  
   therae, 161, 163, 167  
 Morchella, 204, 209  
 Murrill, W. A., A new bolete from  
   Porto Rico, 60; Light-colored re-  
   supinate polypores—III, 83; —IV,  
   171; The fruit-disease survey, 50  
 Musa textilis, 56  
 Mycena Atkinsoni, 116, 196; filopes,  
   116  
 Mycosphaerella, 346, 347, 348; cera-  
   sella, 347; 348; Fragariae, 347;  
   maculiformis, 347; punctiformis,  
   347  
 Myosotis palustris, 316
- Nectria galligena, 190; rubicarpa, 285  
 Neotoma, 303  
 New bolete from Porto Rico, 60  
 New Hampshire fungi, 24  
 New Japanese fungi. Notes and trans-  
   lations—X, 323  
 New or noteworthy Geoglossaceae, 184  
 New species of Russula, 129  
 Nineteen years of culture work, 12  
 North American species of Discina,  
   67  
 Notes and brief articles, 54, 114, 188,  
   263, 335  
 Noteworthy Geoglossaceae, 184  
 Nummularia Bulliardii, 296; cincta,  
   296, 299; discreta, 297; punctulata,  
   296, 299; repanda, 297  
 Nyctelea, 322; Nyctelea, 316  
 Nyssa sylvatica, 165
- Observations on the infection of Cra-  
   taegus by Gymnosporangium, 45  
 Ocotea, 274; leucoxylon, 282, 299  
 Octospora villosa, 229  
 Odontia, 354  
 Oenothera, 140, 147, 149, 153, 161,  
   165; biennis, 137, 165, 167
- Oidium lactis, 126  
 Onagra biennis, 235  
 Onygena equina, 62  
 Ophiodothis, 287  
 Ophiognomonia, 349  
 Ophionectria **portoricensis**, 285, 299  
 Oryzopsis hymenoides, 101, 105  
 Overholts, L. O., Some New Hamp-  
   shire fungi, 24
- Pachyphloeus citrinus, 313  
 Parasite of the periodical Cicada,  
   72  
 Parks, H. E., California hypogaeous  
   fungi—Tuberaceae, 301  
 Patellina, 135, 136; Fragariae, 135,  
   136, 155, 163, 354  
 "Patellina Fragariae," "Leptothyrium  
   macrothecium," and "Peziza Oeno-  
   therae," The life history and iden-  
   tity of, 135  
 Pelargonium, 142, 152; capitatum, 142,  
   160, 165; zonale, 160, 165  
 Penicillium, 342; expansum, 126;  
   spiculisporeum, 63  
 Peridermium, 108; coloradense, 108;  
   elatinum, 103; filamentosum, 106;  
   floridanum, 63; Harknessii, 63;  
   pyriforme, 106  
 Peronospora, 354; Hyoscyami, 338  
 Pestalozzia, 62; scirrofaciens, 56, 62  
 Peziza, 67, 308; ancilis, 67, 69; apicu-  
   lata, 68, 70; cinerea, 162; elaeodes,  
   68, 70; leucoxantha, 71; macropus,  
   206, 207, 229; Oenotherae, 153, 161,  
   163, 164, 167, 354; perlata, 67, 69;  
   stipitata, 229; sublicia, 229; venosa,  
   70; Warnei, 68, 69  
 "Peziza Oenotherae," The life history  
   of, 135  
 Pezizella, 141, 142, 149, 150, 152, 161,  
   162, 168; **Lythri**, 136, 149, 151, 153,  
   154, 155, 156, 157, 158, 159, 160,  
   161, 162, 163, 164, 167, 168, 169,  
   170; Oenotherae, 137, 141, 142, 143,  
   160, 161, 162, 168  
 Phacelia, 322; Purshii, 316  
 Phaeopezia apiculata, 70  
 Phaetotype, 64  
 Phallus, 204, 207; crispus, 210, 228;  
   lobatus, 210; monacella, 225, 229  
 Phaseolus, 115; adenanthus, 284  
 Philadelphus occidentalis, 106  
 Phleospora, 346, 347, 348  
 Phleum pratense, 111  
 Pholiota, 265  
 Phoma citricarpa, 352; protuberans,  
   158, 164  
 Photographs and descriptions of cup-  
   fungi—IX. North American species  
   of Discina, 67

- Phragmidium affine, 103; Horkeliae, 103; imitans, 109; Ivesiae, 103; montivagum, 103
- Phragmites communis, 21
- Phyllachora, 284, 289; biareolata, 294; canafistulae, 292, 293, 300; Cassiae, 293; duplex, 293; Guazumae, 291; peribebuyensis, 289; Phaseoli, 284; **Serjaniicola**, 293, 300; Whetzelii, 293, 300
- Phytophthora, 63, 198, 274
- Picea Engelmanni, 108; rubens, 26
- Pilidium, 156, 158; acerinum, 156, 157, 159
- Pinus austriaca, 99; edulis, 108; ponderosa scopulorum, 106; radiata, 97; sylvestris, 84, 88
- Plant cancers, Studies on, 1
- Plasmidiophora Brassicae, 60; vascularum, 60, 127
- Pleurae arachnoidea, 294
- Pluteus cervinus, 190; praerugosus, 198
- Poa Fendleriana, 103
- Podostroma, 286; **orbiculare**, 286, 299
- Poisonous mushroom, Clitocybe sudorifica as a, 42
- Polygonum, 21; alpinum, 109
- Polypores, Light-colored resupinate, — III, 83; — IV, 171
- Polyporus albocarneo-gilvidus, 92; amarus, 114; applanatus, 64; attenuatus, 83; aurantiopallens, 172; Blyttii, 83; bombycinus, 173; Broomei, 87; brunneolus, 39; Büttneri, 123; byssoides, 100; carneo-pallens, 84, 85; cavernulosus, 100; chrysobaphus, 173; cinctus, 87; colabens, 83; cruentatus, 96; emollitus, 83; epilinteus, 84, 85; euporus, 83; Fendleri, 84, 85; Fuligo, 123; haematodes, 95; incarnatus, 87; induratus, 55; laetificus, 96; leucolomus, 172; mutans, 97; nebulosus, 119; obliquus, 96; odoros, 87; oxydatus, 92; pineus, 98; pulchellus, 173; purpureus, 92; Ravenalae, 123; sanguinolentus, 90; salmonicolor, 96; Schweinitzii, 124; sorbicola, 95; spissus, 96; subliberatus, 87; sulphurellus, 171; tenerrimus, 119; undatus, 87; vinctus, 84; violaceus, 92; vitreus, 88; volvatus, 354
- Polystictus versicolor, 58
- Poncirus trifoliata, 59
- Populus caroliniana, 124; grandidentata, 124; nigra italica, 165; tremuloides, 107, 124
- Poria, 95, 98, 118, 194; **albirosea**, 85; albocincta, 122, 123; attenuata, 83, 94; attenuata subincarnata, 86; aurantio-canescens, 93; aurantiopallens, 172; aurantiotinctus, 90; aurea, 171; Blyttii, 83; borbonica, 89; **Bracei**, 91; calcea sulphurea, 178; **Calkinsii**, 175; callosa, 87, 88; Caryae, 99; cassicola, 85; cavernulosa, 100; chrysobapha, 173; chrysoloma, 176; corticola, 88, 89; cremeicolor, 178; crocicipora, 96; **Dodgei**, 87; Dusenii, 100; eupora, 83, 85, 86, 94; fatiscens, 178; favillacea, 94; **flavida**, 174; **flavilutea**, 176; flavipora, 174; Fuligo aurantiotinctus, 122; glauca, 123; graphica, 123; heteromorpha, 178; holoxantha, 178; incarnata, 87, 95; incerta, 172, 178; incrassata, 98; **jalapensis**, 177; lateritia, 90; leucolomea, 172; lilacina, 85; medullapanis, 176, 178; micans, 92; mutans, 93, 96, 97; mutans tenuis, 93, 94; myceliosa, 178; nebulosa, 119; nigrescens, 87, 88; nitida, 83, 93, 94; nitida crocea, 94; **ochracea**, 174; **Parksii**, 175; pavonina, 94; phlebiaeformis, 96; pinea, 98; purpurea, 91, 92, 93; radiculosa, 178; saloisensis, 98; sanguinolenta, 90; semitincta, 178, 341; spissa, 94, 96, 98; subacida, 171, 176, 178; **subbadia**, 93; **subincarnata**, 84, 86, 172; **subradiculosa**, 175; subrufa, 95; sub-sulphurea, 178; **subundata**, 86; subviolacea, 99; sulphurella, 171; taxicola, 92, 93, 95, 98; tegillaris, 173; tenerrima, 119; undata, 87, 88; vincta, 84, 94, 99; violacea, 91, 92, 95, 99; vitellina, 172, 176; vitrea, 88; xantha, 176; xantholoma, 178
- Porto Rico, A contribution to our knowledge of the Pyrenomyces of, 279
- Porto Rico, A new bolete from, 60
- Potentilla, 157, 159, 160; canadensis, 165; pulcherrima, 103
- Protocoronospora nigricans, 128
- Protomyces, 72, 354
- Prunus, 161; serotina, 165
- Pseudobalsamia magnata, 193, 312; magnata nigra, 313
- Pseudodiplodia, 354
- Pseudohaplosporella, 354
- Pseudomonas Apii, 274; Citri, 59, 198; Phaseoli, 336
- Pseudopeziza, 167; Populi-albae, 349; ribis, 349; salicis, 349
- Pseudotsuga mucronata, 107
- Ptilocalais tenuifolia, 105
- Puccinia, 16, 233, 235; additicia, 191;



- Agropyri, 19, 20, 233, 236; albi-  
peridia, 17, 233; alternans, 20, 233,  
236; amphigena, 234; Antirrhini,  
109; apocrypta, 109, 236, 315, 318,  
320, 321, 322; arcticum, 58; Arrhe-  
natheri, 321; Asterum, 15; bro-  
mina, 321, 322; Burnettii, 102; car-  
icina, 20; Caricis, 20, 103; Caricis-  
Asteris, 14, 233; Caricis-Erigeron-  
tis, 14, 233; Caricis-Solidaginis, 14,  
233; Caricis-strictae, 235; Ceanothi,  
231; cinerea, 19, 20; Clematidis, 20,  
63, 103; dispersa, 315, 321; Dis-  
tichlidis, 18; Eatoniae, 22, 233; ex-  
tensicola, 15, 16; fraxinata, 231,  
235; Garretii, 235; graminis, 22,  
23, 104, 111, 113, 124, 128, 198, 276;  
Grindeliae, 107; Grossulariae, 17,  
236; Helianthi, 14, 104; Hieracii,  
104; hynoidea, 234; Impatientis, 19,  
63; interveniens, 102; irrequisita,  
191; Isiacae, 21; Jonesii, 104; Koe-  
leriae, 233, 315, 319, 320, 321, 322;  
lateripes, 21; Liatridis, 19; Mal-  
vastri, 105; Menthae, 104; micran-  
tha, 109; Monardellae, 104; mon-  
tanensis, 104, 236, 315, 316, 317,  
318, 319, 320, 321; oblitterata, 20,  
233; pacifica, 191; Paniculariae,  
233; patruelis, 233; Pattersoniana,  
104, 110; peridermiospora, 231;  
quadriporela, 236; rubigo-vera, 18,  
20; Ruelliae, 21; rugosa, 105; seca-  
lina, 315, 321, 322; Sherardiana,  
105; Stipae, 102; suavolens, 109;  
substerilis, 105; subnitens, 16, 20,  
21, 105; tomipara, 20, 233; triti-  
cina, 19, 20, 111, 315; Troximontis,  
105; tumidipes, 233; universalis,  
233; Urticae, 103; Vernoniae, 233;  
vulpinoides, 15
- Puccinia apocrypta, The heteroecism  
of, 315
- Puccinia graminis in the south, The  
behavior of telia of, 111
- Puccinia Koeleriae, The heteroecism  
of, 315
- Puccinia montanensis, P. Koeleriae,  
and P. apocrypta, The heteroecism  
of, 315
- Pucciniella, 19
- Pycnoporus cinnabarinus, 189
- Pyrenomyces of Porto Rico, 279
- Pyrenopeziza medicaginis, 160
- Pythiacystis, 63; citrophthora, 273
- Pythium, 60; Debaryanum, 341
- Quercus, 147, 157; agrifolia, 193;  
alba, 165; rubra, 155, 165; velutina,  
165
- Ramularia, 347, 348
- Ramularisphaerella, 347, 348
- Ranunculus abortivus, 22; Cymbalaria,  
19, 103
- Ravenelia, 353; havanensis, 191
- Ravenelula, 354
- Resupinate polypores, Light-colored,—  
III, 83; —IV, 171
- Review of Klebahn on life histories  
of Ascomycetes 346
- Rhizina helvetica, 69; undulata, 228
- Rhizoctonia, 60, 277
- Rhizogene, 355
- Rhizophora Mangle, 115
- Rhizopus, 138, 195, 342; nigricans,  
273; Tritici, 274
- Rhododendron, 64
- Rhus, 139, 140, 142, 154, 157, 165;  
aromatica, 154; copallina, 154, 165;  
Cotinus, 154, 165; glabra, 141, 154,  
165; radicans, 155; Toxicodendrum,  
165; typhina, 165
- Ribes, 17, 126, 165, 337; aureum, 108;  
cereum, 106, 108; inebrians, 106,  
108; petiolare, 102; prostratum, 165
- Ricinus, 4; communis, 354
- Rickia, 355
- Roberts, J. W., Clitocybe sudorifica as  
a poisonous mushroom, 42
- Rosa, 156, 157; neomexicana, 103;  
puberulenta, 103; rugosa prostrata,  
165
- Rosellinia, 295
- Rosen, H. R., The behavior of telia  
of Puccinia graminis in the south,  
111
- Rostronitschkia, 298
- Rubber plant, The behavior of crown  
gall on the, 1
- Rubus, 58, 127, 136, 137, 139, 140, 145,  
149, 156, 157, 160, 161, 165; caesius,  
155, 160; idaeus, 165; occidentalis,  
165; pubescens, 58; setosus, 165;  
strigosus, 58, 109, 165; strigosus  
idaeus, 165; thrysoideus, 161; tri-  
florus, 58; villosus, 165
- Ruellia ciliosa, 21; strepens, 21
- Rumex paucifolius, 109
- Russula, 133, 266, 351; aeruginea, 132;  
bifida, 130; cyanoxantha, 132; dis-  
parilis, 129; fragiliformis, 132; het-  
erophylla, 130, 132; Hibbardae, 129,  
131, 132, 134; praeumbonata, 131,  
134; purpurina, 134; ornaticeps,  
129, 130, 131, 134; redolens, 131,  
132, 133, 134; simulans, 129, 131,  
134; uncialis, 134; variata, 130,  
132; viridi-oculata, 129, 131, 132,  
134
- Russula, Some new species of, 129

- Rusts of northern Utah and southern Idaho, 179  
 Rusts of Utah, Smuts and,—IV, 101  
*Salix*, 161; *humilis*, 165; *Watsonii*, 102  
*Saprolegnia*, 336  
*Sarcoscypha macropus*, 229  
*Scleroderma*, 313  
*Sclerospora*, 277  
*Sclerotinia*, 196; *cinerea*, 65; *minor*, 189, 197  
*Sclerotiopsis*, 140, 142, 147, 154, 155, 156, 158, 160, 167; *australasica*, 147, 156, 159, 163; *Cheiri*, 156; **con-cava**, 136, 147, 148, 149, 154, 155, 156, 157, 158, 159, 160, 161, 163, 164, 167, 170; *Pelargonii*, 142, 160, 163; *Potentillae*, 159, 160, 163; *Rubi*, 155, 160, 163  
*Sclerotium coffeicolum*, 355  
 Seaver, F. J., Photographs and descriptions of cup-fungi—IX. North American species of *Discina*, 67  
*Senecio*, 235  
*Septobasidium*, 276  
*Septoria*, 270, 346, 347, 348, 352; *Apii*, 191, 199, 269, 270; *Lycopersici*, 353; *nodorum*, 337  
*Septorisphaerella*, 347, 348  
*Serjania polyphylla*, 293, 300  
*Serpula rufa pinicola*, 95  
 Shear, C. L., Review of Klebahn on life histories of Ascomycetes, 346  
 Shear, C. L., and Dodge, B. O., The life history and identity of "*Patellina Fragariae*," "*Leptothyrium macrothecium*," and "*Peziza Oenotherae*," 135  
*Shepherdia canadensis*, 108  
*Sidalcea nervata*, 102  
*Sillia Theae*, 325  
*Sitanion elymoides*, 320; *Hystrix*, 101, 103; *jubatum*, 103  
 Slime mould, Some of the ways of the, 329  
*Smilax*, 140; *rotundifolia*, 165  
 Smuts and rusts of northern Utah and southern Idaho, 179  
 Smuts and rusts of Utah—IV, 101  
*Solanum carolinense*, 353  
*Solidago*, 15, 16  
 Some New Hampshire fungi, 24  
 Some new species of *Russula*, 129  
 Some of the ways of the slime mould, 329  
*Sophia*, 20, 234  
*Sorbus*, 235  
*Sordaria fimicola*, 294; *humana*, 294  
*Sorospora agrotidis*, 73; *uvella*, 73  
*Spartina*, 18, 234; *cynosuroides*, 246; *Michauxiana*, 246  
 Speare, A. T., *Massospora cicadina* Peck, a fungous parasite of the periodical Cicada, 72  
 Species of *Discina*, North American, 67  
 Species of *Helvella*, Massachusetts, 201  
 Species of *Russula*, Some new, 129  
*Sphaeralcea arizonica*, 105; *dissecta*, 105; *pedata*, 105; *subrhomboidea*, 105  
*Sphaerella*, 354  
*Sphaeronema*, 136, 144, 153; *corneum*, 138, 145, 153, 162, 163, 164  
*Sphaeropsis*, 348; *malorum*, 128  
*Sporobolus cryptandrus*, 235  
*Sporodinia grandis*, 56  
*Sporonema*, 160; *Castaneae*, 159; *du-bium*, 158, 159, 160, 163; *phacidioides*, 160; *pulvinatum*, 160, 163; *quercicolum*, 159, 163  
*Stagnospora Theae*, 324  
*Steironema*, 149, 160; *ciliata*, 165, 170  
*Stereum*, 196, 267; *caespitosum*, 268; *conicum*, 268; *durum*, 268; *Earlei*, 268; *erumpens*, 268; *heterosporum*, 268; *magnisporum*, 268; *patelliforme*, 268; *petalodes*, 339; *pubescens*, 268; *purpureum*, 339; *saxitas*, 268; *sepium*, 268; *spumeum*, 268; *Willeyi*, 116  
*Stilbocrea hypocreoides*, 286; *intermedia*, 286  
*Stipa Lettermanni*, 105; *minor*, 102; *viridula*, 235  
*Stropharia*, 265  
 Studies on plant cancers—II. The behavior of crown gall on the rubber plant (*Ficus elastica*), 1  
*Suillellus Eastwoodiae*, 194  
 Survey, The fruit-disease, 50  
*Symplocos*, 90; *martinicensis*, 90  
 Tanaka, T., New Japanese fungi. Notes and translations—X, 323  
*Taphrina*, 276  
*Teleutospora*, 191  
 Telia of *Puccinia graminis* in the south, The behavior of, 111  
*Terfeziopsis lignaria*, 310  
*Tetrazygia elaeagnoides*, 290  
*Thalictrum*, 19  
*Thea sinensis*, 323, 324, 325, 326, 327, 328  
*Thecaphora pustulata*, 273  
*Thelephora*, 267; *caryophyllea*, 277, 336; *fimbriata*, 277, 336; *lamellata*, 38; *terrestris*, 277, 336

- Thelocarpon albomarginatum*, 352  
*Thielavia basicola*, 53  
*Thuya occidentalis*, 95  
*Tibicina septendecim*, 72, 81, 82  
*Tinctoporia*, 122, 275; **albocincta**, 122; **aurantiotingens**, 122; **Fuligo**, 122, 123; **graphica**, 122, 123  
*Tipula paludosa*, 74  
*Trabutia*, 292; **Bucidae**, 290, 291, 300; **conica**, 292, 300; **Guazumae**, 291, 300; **portoricensis**, 115  
*Trabutiella*, 115; **Cordiae**, 115  
*Trametes carnea*, 26; **Pini**, 124; **versatilis**, 100  
*Trenomycetes*, 355  
*Trichia*, 333  
*Trichoglossum*, 351; **confusum**, 185, 186; **Farlowi**, 186; **hirsutum**, 187; **hirsutum braziliense**, 187; **hirsutum variabile**, 187; **hirsutum Wrightii**, 187; **Rehmianum**, 185; **velutipes**, 187; **Walteri**, 186; **Wrightii**, 187  
*Tricholoma terreum*, 266  
*Trichostigma octandra*, 115  
*Trifolium Kingii*, 107  
*Trisetum*, 22  
*Triticum aestivum*, 321; **dicoccum**, 127; **durum**, 127; **vulgare**, 101, 104, 127  
*Tropaeolum*, 105  
*Tsuga canadensis*, 86  
*Tuber*, 194, 302, 304, 310, 312; **californicum**, 194, 308; **candidum**, 193, 309, 310, 311; **lignarium**, 310, 311  
*Tuberaceae*, California, 301  
*Tubercularia*, 136, 144, 145; **rhoina**, 145; **rhois**, 155, 163; **zythioides**, 155, 163  
*Tyromyces caesius*, 56; **Smallii**, 99  
*Ulmus*, 165; **americana**, 119  
*Uredineae*, Memoranda and index to cultures of, 230  
*Urocystis Anemones*, 352  
*Uromyces*, 16, 233, 276; **acuminatus**, 231; **Brodieae**, 104, 110; **coordinatus**, 191; **effusus**, 233; **Eriogoni**, 106; **Euphorbiae**, 14, 106; **fuscatus**, 109; **intricatus**, 106; **medicaginis**, 110; **oblongus**, 107; **Peckianus**, 16; **perigynius**, 15, 20, 236; **Polemonii**, 18; **proemineus**, 106; **punctatus**, 105; **Solidagini-Caricis**, 233; **Steironematis**, 231, 233; **uniporulus**, 18  
*Urophlyctis*, 114; **Alfalfae**, 192, 197  
*Ustilago bromivora*, 101, 179; **Hieronymi**, 101; **hypodytes**, 101; **Lorentziana**, 101; **Triticici**, 101; **violacea**, 277  
*Ustulina*, 354  
*Utah*, Smuts and rusts of northern, 179  
*Utah*, Smuts and rusts of,—IV, 101  
*Vaccinium*, 165; **macrocarpum**, 160, 165  
*Valsa Theae*, 326  
*Valseutypella*, 127  
*Venenarius Wellsii*, 63  
*Verticillium Lycopersici*, 275  
*Vigna vexillata*, 115  
*Vitis*, 140; **cordifolia**, 165  
*Wilkes expedition*, The fungi of the, 38  
*Xanthoporia Andersoni*, 178  
*Xylomyzon taxicola*, 95  
*Zundel*, G. L., Smuts and rusts of northern Utah and southern Idaho, 179  
*Zythia Phaseoli*, 115